HP 290 G4 Microtower PC

Maximize your investment

Take on your everyday work at an affordable price with the HP 290 MT. Get the reliable computing power you need while minimizing the total cost of ownership—now that's a smart investment.



*Product image may differ from actual product

HP recommends Windows 11 Pro for business

Powered up processing

Keep up with daily tasks with performance from a 10th Gen Intel® Core™ processor³, optional NVIDIA® or AMD discrete graphics⁴, up to 64 GB DDR4 memory⁴, and slots for future growth.

Expansion for the future

 Three bays and two full-height slots, including PCIe x16 and PCIe x1 slots, provide expandability for the future. Configurable USB ports⁴, serial ports⁴, and legacy ports⁴ help ensure broad compatibility with existing technology.

Help keep data safe

 Help protect your investment and your data with firmware or discrete TPM, HP DriveLock⁵, and a physical security lock. Additional security is provided by an optional intrusion sensor and an integrated cable lock system to secure your cabled devices.

Ready for work

- The HP 290 MT provides a powerful PC with a double-fan design to accomplish your everyday tasks.
- Help secure the future of your business. PCs from HP make the most of Windows 11 Pro to protect you from today's security threats and maximize management and productivity features for business.¹
- Get fast and easy connections with optional Gigabit WLAN featuring 802.11ac protocol and Bluetooth® 4.2 connectivity.⁶
- Support two independent displays with VGA and HDMI connectivity, plug in several compatible USB devices, and utilize an optional serial port.⁴
- Help keep unauthorized users from accessing data on your primary drive.
 Prevent your primary drive from running without entering a password using HP DriveLock.⁵
- Spend less time and get right to the updates you need with HP Support Assistant.
- Help secure your PC with a physical security lock, an intrusion sensor, and an integrated accessory cable lock to secure your cabled mouse and keyboard on the HP 290 MT.
- The optional high-efficiency power supply and molded-pulp packaging keep sustainability in mind.⁴

HP 290 G4 Microtower PC Specifications Table







(Device comes with Windows 10 and a free Windows 11 upgrade or may be preloaded with Windows 11. Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see Windows 11 Specifications).) Processor family²8 10th Generation Intel® Core™ i7 processor; 10th Generation Intel® Core™ i5 processor; 10th Generation Intel® Core™ i3 processor; Intel® Celeron® processor; Intel® Pentium® processor Intel® Celeron® G5900 with Intel® UHD Graphics 610 (3.4 GHz base frequency, 2 MB L3 cache, 2 cores); Intel® Core™ i3-10100 with Intel® UHD Graphics 630 (3.6 GHz base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 6 MB L3 cache, 4 cores); Intel® Core™ i5-10400 with Intel® UHD Graphics 630 (2.9 GHz base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores); Intel® Core™ i5-10500 with Intel® UHD Graphics 630 (3.1 GHz base frequency, up to 4.5 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores), supports Intel® Core™ i7-10700 with Intel® UHD Graphics 630 (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 16 MB L3 cache, 8 cores), supports Intel® vPro® Technology; Intel® Core™ i7-10700 with Intel® UHD Graphics 630 (2.9 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics 630 (4.2 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Pentium® Gold G6600 with Intel® UHD Graphics 630 (4.2 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Celeron® G5905 with Intel® UHD Graphics 610 (3.5 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Celeron® G5905 with Intel® UHD Graphics 610 (3.5 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Celeron® G5905 with Intel® UHD Graphics 610 (3.5 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Celeron® G5905 with Intel® UHD Graphics 610 (3.5 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Celeron® G5905 with Intel® UHD Graphics 610 (3.5 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Celeron® G5905 with Intel® UHD Graphics 610	*Product image may differ from actual product	
Processor Intel® Celeron® processor; Intel® Pentium® processor Intel® Celeron® GS900 with Intel® UHD Graphics 630 (3.6 GHz base frequency, up to 4.3 GHz with Intel® UHD Graphics 630 (3.6 GHz base frequency, up to 4.3 GHz with Intel® UHD Graphics 630 (3.6 GHz base frequency, up to 4.3 GHz with Intel® UHD Graphics 630 (3.6 GHz base frequency, up to 4.3 GHz with Intel® UHD Graphics 630 (3.6 GHz base frequency, up to 4.3 GHz with Intel® UHD Graphics 630 (3.1 GHz base frequency, up to 4.3 GHz with Intel® UHD Graphics 630 (3.1 GHz base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores), Intel® Core® 1.7 GHZ base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 8 Gores), supports Intel® VHP of the Core® 1.7 GHZ base frequency, 4 MB L3 cache, 8 Gores), supports Intel® VHP of Technology, 12 MB L9 cache, 8 GHz base frequency, 4 MB L3 cache, 8 GHZ base frequency, 4 MB L9 GHZ base frequency, 4 MB L3 Cache, 8 GHZ base frequency, 4 MB L9 GHZ b	Available Operating Systems	Windows 11 Home – HP recommends Windows 11 Pro for business ¹ Windows 10 Pro ¹ FreeDOS (Device comes with Windows 10 and a free Windows 11 upgrade or may be preloaded with Windows 11. Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see
10100 with Intel® UHD Graphics S30 (3.6 GHz base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 6 MB L3 cache, 4 cores); Intel® core® 15-1040 with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores); Intel® Core® 15-10500 with Intel® UHD Graphics S30 (2.3 GHz base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores); Untel® Core® 15-10500 with Intel® UHD Graphics S30 (3.1 GHz base frequency, up to 4.3 GHz with Intel® UHD Graphics S30 (2.9 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics S30 (2.9 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics S30 (2.9 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics S30 (2.9 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics S30 (2.9 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics S30 (2.9 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics S630 (4.2 GHz base frequency, up to 4.8 GHz with Intel® UHD Graphics S630 (4.2 GHz base frequency, up to 8 cores); Untel® Celeron® G5905 with Intel® UHD Graphics S610 (3.5 GHz base frequency, up to 8 GHz base frequency up the 8	Processor family ²⁸	10th Generation Intel® Core™ i7 processor; 10th Generation Intel® Core™ i5 processor; 10th Generation Intel® Core™ i3 processor; Intel® Celeron® processor; Intel® Pentium® processor
Form factor Microtower Maximum memory 32 GB DDR4-2933 SDRAM 2 Transfer rales up to 2933 MT/s. Memory slots 2 DIMM Internal storage 500 GB up to 2 TB 7200 rpm SATA HDD3 128 GB up to 512 GB M.2 PCIe® NVMe ^{NS} SSD3 Optical drive HP 9.5 mm Slim DVD-ROM; HP 9.5 mm Slim DVD-Writer 4 Available Graphics Integrated: Intel® UHD Graphics 610; Intel® UHD Graphics 630 ^{16,17} Audio Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack Expansion slots 1 PCIe x1; 1 PCIe x16; 2 M.2 6.9 (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 Super-Speed USB 5Gbps signaling rate; 2 Super-Speed USB 10Gbps signaling rate ^{10,32} ; Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0 ^{11,13} ; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 13-in-1 SD card reader ⁸ Input devices HP USB wired keyboard ^{18,19} ; HP USB wired optical mouse ^{18,20,21} ; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5° (2.5°) HDD Environmental Operating temperature: 0 to 40°C; Operating temperature: 0 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated OBE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe®; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration). Veranture 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and		10100 with Intel® UHD Graphics 630 (3.6 GHz base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 6 MB L3 cache, 4 cores); Intel® Core™ i5-10400 with Intel® UHD Graphics 630 (2.9 GHz base frequency, up to 4.3 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores); Intel® Core™ i5-10500 with Intel® UHD Graphics 630 (3.1 GHz base frequency, up to 4.5 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores), supports Intel® vPro® Technology; Intel® Core™ i7-10700 with Intel® UHD Graphics 630 (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 16 MB L3 cache, 8 cores), supports Intel® vPro® Technology; Intel® Pentium® Gold G6400 with Intel® UHD Graphics 610 (4.0 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Pentium® Gold G6600 with Intel® UHD Graphics 630 (4.2 GHz base frequency, 4 MB L3 cache, 2 cores); Intel® Celeron® G5905 with Intel® UHD Graphics 610 (3.5
Maximum memory 32 GB DDR4-2933 SDRAM ² Transfer rates up to 2933 MT/s. Memory slots 2 DIMM Internal storage 500 GB up to 2 TB 7200 rpm SATA HDD³ 128 GB up to 512 GB M.2 PCle® NVMe™ SSD³ Optical drive HP 9.5 mm Slim DVD-R0M; HP 9.5 mm Slim DVD-Writer ⁴ Available Graphics Integrated: Intel® UHD Graphics 610; Intel® UHD Graphics 630¹6.17 Audio Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack Expansion slots 1 PCle x1; 1 PCle x16; 2 M2 6³0 ft M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 SuperSpeed USB 5Gbps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate ¹0.32; Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0¹1.13; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader ⁶ Input devices HP USB wired keyboard¹¹3; HP USB wired optical mouse¹¹8,00,2¹; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5° (2.5°) HDD Environmental Operating temperature: 0 to 40°C; Operating temperature: 0 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated 0.0BE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ²2,33 Security management <td>Chipset¹⁵</td> <td>Intel® H470</td>	Chipset ¹⁵	Intel® H470
Maximum memory Transfer rates up to 2933 MT/s. Memory slots 2 DIMM Internal storage 500 GB up to 2 TB 7200 rpm SATA HDD³ 128 GB up to 512 GB M.2 PCle® NVMe™ SSD³ Optical drive HP 9.5 mm Slim DVD-ROM; HP 9.5 mm Slim DVD-Writer ⁴ Available Graphics Integrated: Intel® UHD Graphics 610; Intel® UHD Graphics 630¹6.17 Audio Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack Expansion slots 1 PCle x1; 1 PCle x16; 2 M.2 6.9 (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 Super Speed USB 56bps signaling rate; 2 Super Speed USB 10Gbps signaling rate³ (9.32); Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0¹¹¹.¹³; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader³ Input devices HP USB wired keyboard¹¹8¹¹9; HP USB wired optical mouse¹ l³2.02²¹; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5° (2.5°) HDD Environmental Operating temperature: 0 to 40°C; Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated 00BE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe³™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuSha	Form factor	Microtower
Internal storage 500 GB up to 2 TB 7200 rpm SATA HDD³ 128 GB up to 512 GB M.2 PCle® NVMe™ SSD³ Optical drive HP 9.5 mm Slim DVD-ROM; HP 9.5 mm Slim DVD-Writer ⁴ Available Graphics Integrated: Intel® UHD Graphics 610; Intel® UHD Graphics 630¹6.17 Audio Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack Expansion slots 1 PCle x1; 1 PCle x16; 2 M.2 6.9 (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 SuperSpeed USB 5Gbps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate ¹0.3²; Rear: 1 HDM!; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0¹¹¹.¹³; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader.8 Input devices HP USB wired keyboard ¹8.¹¹; HP USB wired optical mouse ¹8.20.2¹; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5" (2.5") HDD Environmental Operating temperature: 0 to 40°C; Operating temperature: 0 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated OOBE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ²2.3³ Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ²3.24.25 Power 180 W internal power supply, up to 90% efficiency, active PFC²6 Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL²² Nearoby 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Maximum memory	
Optical drive HP 9.5 mm Slim DVD-ROM; HP 9.5 mm Slim DVD-Writer ⁴ Available Graphics Integrated: Intel® UHD Graphics 610; Intel® UHD Graphics 630 ¹6.17 Audio Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack Expansion slots 1 PCle x1; 1 PCle x16; 2 M.2 ^{6.9} (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 SuperSpeed USB 560ps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate; ^{0.32} ; Rear: 1 HDMl; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0¹1.¹¹3; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader ⁸ Input devices HP USB wired keyboard ¹8.¹¹9; HP USB wired optical mouse ¹8.²0.²¹; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5° (2.5°) HDD Coperating temperature: 0 to 40°C; Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0;²3.²4.²25 Power 180 W internal power supply, up to 90% efficiency, active PFC²6 Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL²² Warranty 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Memory slots	2 DIMM
Available Graphics Integrated: Intel® UHD Graphics 610; Intel® UHD Graphics 630 ^{16,17} Audio Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack Expansion slots 1 PCle x1; 1 PCle x16; 2 M.2 6.9 (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 SuperSpeed USB 5Gbps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate; 10.32; Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0 ^{11,13} ; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader ⁸ Input devices HP USB wired keyboard ^{18,19} ; HP USB wired optical mouse ^{18,20,21} ; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5" (2.5") HDD Environmental Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated 00BE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe ^{1™} ; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0, ^{23,24,25} Power 18.0 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ I year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Internal storage	
Audio Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack Expansion slots 1 PCle x1; 1 PCle x16; 2 M.2 ^{6,9} (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 SuperSpeed USB 5Gbps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate; 10.32; Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0 ^{11,13} ; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader ⁶ Input devices HP USB wired keyboard ^{18,19} ; HP USB wired optical mouse ^{18,20,21} ; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5" (2.5") HDD Environmental Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated OOBE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe TM ; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ Marrantu	Optical drive	HP 9.5 mm Slim DVD-ROM; HP 9.5 mm Slim DVD-Writer ⁴
Expansion slots 1 PCle x1; 1 PCle x16; 2 M.2 ^{6,9} (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.) Front: 1 headphone/microphone combo; 4 SuperSpeed USB 5Gbps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate ^{10,32} ; Rear: 1 HDMl; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0 ^{11,13} ; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader ⁸ Input devices HP USB wired keyboard ^{18,19} ; HP USB wired optical mouse ^{18,20,21} ; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5" (2.5") HDD Environmental Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated OOBE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ Marranty	Available Graphics	Integrated: Intel® UHD Graphics 610; Intel® UHD Graphics 630 ^{16,17}
Front: 1 headphone/microphone combo; 4 SuperSpeed USB 5Gbps signaling rate; 2 SuperSpeed USB 10Gbps signaling rate 10.32; Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0 ^{11,13} ; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader ⁸ Input devices HP USB wired keyboard 18.19; HP USB wired optical mouse 18.20,21; Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5" (2.5") HDD Environmental Operating temperature: 0 to 40°C; Operating tumidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated 00BE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; 22.33 Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; 23.24,25 Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ Warranty	Audio	Realtek ALC3601 codec, optional internal speaker, combo microphone/headphone jack
Ports and Connectors Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0 ^{11,13} ; Optional Ports: 1 4x serial; 1 parallel; 1 PS/2; 1 3-in-1 SD card reader ⁸ Input devices	Expansion slots	1 PCIe x1; 1 PCIe x16; 2 M.2 ^{6,9} (1 M.2 slot for WLAN and 1 M.2 2242/2280 slot for storage.)
Communications LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo; Drive Bays Two 3.5" (2.5") HDD Environmental Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated OOBE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ Warranty 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Ports and Connectors	rate ^{10,32} ; Rear: 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 serial; 1 VGA; 2 USB 2.0 ^{11,13} ;
Drive Bays Two 3.5" (2.5") HDD Environmental Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated 00BE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ Warranty 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Input devices	HP USB wired keyboard ^{18,19} ; HP USB wired optical mouse ^{18,20,21} ;
Operating temperature: 0 to 40°C; Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated 00BE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL 27 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Communications	LAN: Integrated 10/100/1000M GbE; WLAN: Realtek 802.11a/b/g/n/ac (1x1) and Bluetooth® 4.2 Combo;
Operating humidity: 10 to 90% RH; Software HP Audio Switch; HP Documentation; HP Setup Integrated 00BE Win10; HP Support Assistant; HP System Event Utility; McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Drive Bays	Two 3.5" (2.5") HDD
McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33} Security management Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25} Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Environmental	
Power 180 W internal power supply, up to 90% efficiency, active PFC ²⁶ Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Software	McAfee LiveSafe™; Buy Office (sold separately); HP JumpStarts; Xerox® DocuShare® 90 day free trial offer; ^{22,33}
Dimensions 15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.) Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Security management	Integrated accessories cable lock; Lock slot; Trusted Platform Module (TPM) 2.0; ^{23,24,25}
Weight 4.7 kg (Exact weight depends on configuration.) Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Power	
Ecolabels CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷ 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Dimensions	15.5 x 30.3 x 33.7 cm (System dimensions may fluctuate due to configuration and manufacturing variances.)
Marranty 1 year (1-1-1) limited warranty and service offering includes 1 year of parts, labor and on-site repair. Terms and	Weight	4.7 kg (Exact weight depends on configuration.)
	Ecolabels	CCC; CE; CECP; CEL; ENERGY STAR® certified; EPEAT® 2019 registered where applicable; FCC; RoHS; SEPA; UL ²⁷
	Warranty	

HP 290 G4 Microtower PC

Accessories and services (not included)

HP 3 year Next business day Onsite Desktop Only Hardware Support



Receive 3 years of next business day onsite HW Support from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. **Product number: U6578E**

HP 290 G4 Microtower PC

Messaging Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
 ² For hard drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36GB of system disk (for Windows 10) is reserved for system recovery software.
 ³ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your
- hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- Sold separately or as an optional feature.
- For Division superatively or as an optionian relative.

 1 HD Division of Superative or as an optionian relative.

 1 Not all features are available in all editions or versions of Windows, Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

 6 Sold separately or as an optional feature. Wireless access point and internet service required. Availability of public wireless access points limited.

Technical Specifications Footnotes

- Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

 Full availability of 4 GB or more of memory requires a 64-bit operating system. With Windows 32-bit operating systems, the amount of usable memory is dependent upon your configuration, so that above 3 GB all memory may not be available due to system resource requirements. Memory modules support data transfer rates up to 2933 MT/s; actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate.

 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows) of disk is reserved for system recovery software.

 Optical drives are optional or add on features. Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives.

- 6 Card sold separately.

- One 3-in-1 SD card reader: optional feature.

 See the special port: optional via PCle slot, and only available for specific region.

 See the special port: optional via PCle slot, and only available for specific region.

 See the special port: optional via PCle slot, and only available for specific region.

 HDMI/VGA ports will be covered up when a non-internal graphics processor is configured on shipped machine.
- ¹² PS/2 Port: optional
- ¹³ Serial Port available on select SKUs only

- 1-3 Serial Port available on select SkUs only.
 1-4 Wireless cards are optional or add-on features and requires separately purchased wireless access point and internet service. Availability of public wireless access points limited.
 1-5 For full Intel® vPro® functionality, Windows, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN card and discrete TPM 2.0 are required. See http://intel.com/vpro.
 1-7 Integrated fintel Wi-Di software is available on select models only and requires separately purchased projector, tv or computer monitor with an integrated or external Wi-Di receiver. External Wi-Di receivers connect to the projector, tv or computer monitor via a standard VGA, HDMI cable, also sold separately.
 1-8 Keyboards and mice are optional or add-on features.
 1-9 USB Wired Business SIm Antimicrobial Keyboards China only.

- 20 USB Antimicrobial Mouse: China only,

- ²⁰ USB Antended Mouse: China only.

 ²¹ USB Hardrend Mouse: Aponly.

 ²² McAfee LiveSafe™: subscription required.

 ²³ Security cable lock supported (sold separately).

 ²⁴ TPM feature will be supported on machine pre-configured with FreeDOS, and will be default set as enabled in BIOS setup menu if the machine is dTPM, but will be default set as disabled in BIOS setup menu if the machine is fTPM.

 ²⁵ Physical cable lock for better cable management.

 ²⁶ Multiple Company of the machine is dTPM, but will be default set as disabled in BIOS setup menu if the machine is dTPM.
- ²⁶ All power supplies are not available in every region
- 27 Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.
- Legister on US-EPEAI ** registration according to IEEE 1680.1-2018 EPEAI**. Status varies by country, visit www.epeat.net for more information.

 Passed on US-EPEAI registration according to IEEE 1680.1-2018 EPEAI**. Status varies by country, visit www.epeat.net for more information.

 Passed on US-EPEAI registration according to IEEE 1680.1-2018 EPEAI**. In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7, poerating system on products configured with Intel® 8th generation and forward processors or provide any Windows 7 drivers on http://www.support.hp.com.

 Passed on US-EPEAI register in the products of the Windows 8 or Windows 7, in a product of the Windows 8 or Windows 7, in a product on http://www.support.hp.com.

 Passed on US-EPEAI register in the product of the Windows 8 or Windows 7, in a product on http://www.support.hp.com.

 Passed on US-EPEAI register in the product of the Windows 8 or Windows 7, in a product on http://www.support.hp.com.

 Passed on US-EPEAI register in the product of the Windows 8 or Windows 7, in a product on http://www.support.hp.com.

 Passed on US-EPEAI register in the product of the Windows 8 or Windows 7, poerating system on products configured with Intel® 8th generation and forward processors or provide any Windows 7, poerating system on products configured with Intel® 8th generation and forward processor with Intel® 1000 products on http://www.support.hp.com.

 Passed on US-EPEAI register in the products of the Windows 8 or Windows 7, poerating system on products configured with Intel® 8th generation and forward processor with Intel® 1000 products on http://www.support.hp.com.

 Passed on US-EPEAI register in the Windows 8 or Windows 7, poerating system on products configured with Intel® 1000 products on http://www.support.hp.com.

 Passed on US-EPEAI register in the Windows 8 or Windows 7, poerating system on products configured with Intel® 1000 products on http://www.support.hp.com.

 **Passed on US-
- information
- 31 Some functionality of vPro, such as Intel Active Management Technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependant on 3rd
- party software providers. Compatibility with future "virtual appliances" is yet to be determined.

 32 SuperSpeed USB 10Gbps signaling rate = USB3.2 Gen2. SuperSpeed USB 5Gbps signaling rate = USB3.2 Gen1.

 33 Simply sign up and start using Xerox® DocuShare® Go. No credit card. No obligation. Data will become unavaila me unavailable unless a subscription is entered before the end of the 90 day free trial period. See visit www.xerox.com/docusharego for details.

Sign up for updates hp.com/go/getupdated

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial

Intel, Celeron, Core, Pentium, vPro are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor, used by HP Inc. under license. NVIDIA, the NVIDIA logo, GeForce, and GeForce GTX SUPER are registered trademarks and/or trademarks of NVIDIA Corporation in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. All other trademarks are the property of their respective

